

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	47934	(email e-mail (electronic adj (mail message)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 08:33
L5	2404	(age aged aging old older outdat\$4) same time same date	USPAT	OR	ON	2005/01/28 10:45
L6	39	l4 same l5	USPAT	OR	ON	2005/01/28 08:35
L7	22	l6 and @ad<="19990416"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 08:35
L8	3845525	(message data information)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 08:34
L9	145861	(expir\$5 obsole\$6 age aged aging old older outdat\$4) same (time or date)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 08:36
L10	35995	l8 same l9	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 08:36
L11	24853	l10 and @ad<="19990416"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 08:36
L12	84189	(expir\$5 obsole\$6 age aged aging old older outdat\$4) with (time or date)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 08:36
L13	13903	l8 with l12	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 10:09
L14	9565	l13 and @ad<="19990416"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 10:02
L15	95	709/206.ccls. and l13	USPAT	OR	ON	2005/01/28 08:37
L32	4	((("6185603") or ("6175859") or ("6247076") or ("6334142"))).PN.	USPAT	OR	OFF	2005/01/28 09:56
L33	18663	(l4 or l32) and @ad<="19990416"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 09:56

L34	1512	I8 and I12 and I5 and I9	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 10:00
L35	1058	I34 and @ad<="19990416"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 12:29
L36	8	I35 and I15	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 10:02
L37	200	I4 with I12	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 10:09
L38	64	I37 and @ad<="19990416"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 10:45
L39	55	(tim\$4 expir\$6 date age aged aging old older outdat\$4 valid\$5) and I38	USPAT	OR	ON	2005/01/28 11:24
L40	55	(timestamp\$4 time-stamp\$4 tim\$4 expir\$6 date age aged aging old older outdat\$4 valid\$5) and I38	USPAT	OR	ON	2005/01/28 12:05
L41	203	(timestamp\$4 time-stamp\$4 tim\$4 expir\$6 date age aged aging old older outdat\$4 valid\$5) and I4	IBM_TDB	OR	ON	2005/01/28 12:06
L42	192	(timestamp\$4 time-stamp\$4 tim\$4 expir\$6 date age aged aging old older outdat\$4 valid\$5) same I4	IBM_TDB	OR	ON	2005/01/28 12:17
L43	3	(timestamp\$4 time-stamp\$4 expir\$6 age aged aging old older outdat\$4 valid\$5 out-dat\$4) with I4	IBM_TDB	OR	ON	2005/01/28 12:19
L44	51	(timestamp\$4 time-stamp\$4 expir\$6 age aged aging old older outdat\$4 valid\$5 out-dat\$4) same I4	IBM_TDB	OR	ON	2005/01/28 12:28
L45	67	(timestamp\$4 time-stamp\$4 expir\$6 outdat\$4 out-dat\$4) with I4	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 12:40
L46	18	I45 and @ad<="19990416"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 12:29
L47	88	(life\$5 live\$4) with I4	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 12:42
L48	225	(valid\$8 life\$5 live\$4) with I4	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 12:40

L49	2	(life\$5 live\$4) with l4 with notif\$8	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 12:41
L50	2	(life\$5 live\$4) with l4 with expir\$8	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 12:42